





CERTIFICATE OF REGISTRATION

This is to certify that

Beamfast Limited T/A Secure Fire Doors and T/A Security Fire Doors

Units F, H & I, Forest Industrial Park Forest Road Hainault Essex IG6 3HL

Meets the requirements of the BM TRADA **Q-Mark Fire Door** Manufacture scheme to ${\bf STD~006}$

Certificate Number

083

Date of Initial Certification 9 November 2005

Date of Last Issue 11 April 2023

Date of Expiry 11 April 2026 Steve Roberts
Product Certification Operations Manager
For and on behalf of BM TRADA

Reg No. 11371436.



Registration Schedule

Branch

Address

Beamfast Limited T/A Secure Fire Doors and T/A Security Fire Doors

Units F, H & I, Forest Industrial Park Forest Road, Hainault Essex, IG6 3HL

Scope

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Owned by Certified Company named Integrity FoA Report **Doorset Description** FoA Standard Type on this scope Period Fire N/A

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Туре	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	FoA Standard
Fire	FEA/F98164	Pacific Rim Wood Ltd	Flamebreak Doorsets for 30 minutes Fire Resistance (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	•			N/A
Fire	FEA/F02141	Pacific Rim Wood Ltd	Flamebreak 660 and FF660 Doorsets for 60 minutes Fire Resistance (Glazed or	60min	BS 476 Pt22
Smoke	N/A	•	unglazed)		N/A
Fire	Chilt/A01204	Halspan Limited	Ontine 200 Best 4 Tirely on (element on considerable	30min	BS 476 Pt22
Smoke	N/A	•	Optima 30 Part 1 Timber (glazed or unglazed)		N/A
Fire	Chilt/A01205	Halspan Limited	Optima 60 (glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	•	Optima 60 (glazed or unglazed)		N/A
Fire	FEA/F97174	Halspan Limited	Drive 20 Part 1 Timber (glassed or unglassed)	30min	BS 476 Pt22
Smoke	N/A		Prima 30 Part 1 Timber (glazed or unglazed)		N/A
Fire	FEA/F96103	Halspan Limited	Drima 60 (alazad ar unglazad)	60min	BS 476 Pt22
Smoke	N/A	-	Prima 60 (glazed or unglazed)		N/A
Fire	WF407090	Falcon Timber Limited	STREbord® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF407090	Falcon Timber Limited	STREbord® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	•			N/A
Fire	WF407090	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF407090	Falcon Timber Limited	STREdor® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	•			N/A
Fire	WF427764	Falcon Timber Limited	STREbord® 54 Fire Resisting Doorsets for 60 minutes fire resistance(Front Entrance	60min	BS 476 Pt22
Smoke	N/A	•	Doorsets)(Glazed or Unglazed)	OUTIIII	N/A
Fire	WF427764	Falcon Timber Limited	STREdor® 54 Fire Resisting Doorsets for 60 minutes fire resistance(Front Entrance Doorsets)(Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	•			N/A
Fire	Chilt/A02066	Falcon Timber Limited	STREbord® 44 door assemblies for 30 Minutes Fire Resistance(Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A				N/A
Fire	Chilt/A02067	Falcon Timber Limited	STREbord® 54 doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	BMT/CNA/F15159	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-		3011111	N/A
Fire	WF377027	Falcon Timber Limited	STREdor® 54 Doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-		OUTIIII	N/A

Winkhaus Assessments - cannot be used in conjunction with any 'Associated Documents' noted below

Туре	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	BMT/CNA/F15084	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank(Glazed or unglazed)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	BMT/CNA/F15084	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank(Unglazed only)	60min	EN 1634-1
Smoke	N/A	-			N/A

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Type	Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Standard
Fire only	Chilt/RF06047	Beamfast Ltd	Flamebreak 60 (Glazed)	60min	BS 476 Pt22